




DEV BARASARA MO. +91 96249 22222



www.elastotextile.com




Extreme Strength. Maximum Load Capacity. Industrial Grade Performance.

Our 50mm Roll Belt is manufactured using superior quality 55 Gram high-density material, specially engineered for extreme-duty industrial and cargo applications. Supplied in a 100 meter continuous roll, this belt delivers unmatched strength, durability, and long-term performance.

Designed for high-load environments, this belt ensures superior tensile strength and outstanding resistance against wear and tear.

Width: 50 MM Length: 100 Meter - Roll Material Weight: 55 Gram Per Meter
Type: Heavy-Duty Industrial Webbing



Strong Performance. Reliable Grip. Industrial Grade Quality.

Our 50mm Roll Belt (45 Gram) is manufactured using premium quality high-strength material, designed for industrial applications where durability and performance are essential. Supplied in a 100 meter continuous roll, this belt ensures uniform thickness, strong weaving, and dependable load support.

Engineered to deliver the perfect balance between flexibility and strength, it is ideal for medium to heavy-duty applications.

Width: 50 MM Length: 100 Meter - Roll Material Weight: 45 Gram Per Meter
Type: Industrial Webbing Roll



Wide Grip. Reliable Strength. Cost-Effective Performance.

Our 50mm Roll Belt (40 Gram) is manufactured using quality-tested woven material, designed for industrial and commercial applications where balanced strength and flexibility are required. Supplied in a 100 meter continuous roll, it ensures uniform thickness, smooth finishing, and dependable working performance.

This belt provides an economical yet durable solution for medium-duty usage.

Width: 50 MM Length: 100 Meter - Roll Material Weight: 40 Gram Per Meter
Type: Industrial Webbing Roll



Wide Support. Lightweight Strength. Economical Industrial Solution.

Our 50mm Roll Belt (35 Gram) is manufactured using quality woven material, designed for applications where width and flexibility are required with moderate load performance. Supplied in a 100 meter continuous roll, it ensures smooth finishing, uniform weaving, and reliable usability.

This belt is ideal for regular industrial and packaging needs where cost efficiency and performance balance are important.

Width: 50 MM Length: 100 Meter - Roll Material Weight: 35 Gram Per Meter
Type: Industrial Webbing Roll



Maximum Strength. Industrial Performance. Long-Lasting Reliability.

Our 35mm Roll Belt is manufactured using superior quality 32 Gram high-density material, specially engineered for heavy-duty industrial applications. Supplied in a 100 meter continuous roll, this belt ensures consistent thickness, strong weaving structure, and excellent load-bearing capacity.

Designed for demanding environments, this belt delivers outstanding durability with superior tensile performance.

Width: 35 MM Length: 100 Meter - Roll Material Weight: 32 Gram Per Meter
Type: Industrial Webbing Roll




Strong. Reliable. Long-Lasting.

Our 25mm Roll Belt is manufactured using high-quality 18 Gram premium grade material, designed for industrial strength performance and long-term durability. Supplied in 100 meter roll packing, this belt ensures consistent quality, smooth finishing, and dependable load performance.

Engineered for heavy-duty and commercial applications, this belt offers superior tensile strength with excellent flexibility.

Width: 25 MM Length: 100 Meter - Roll Material Weight: 18 Gram Per Meter
Type: Continuous Roll Webbing Belt



ELASTO TEXTILE MANUFACTURE

**Royal Industrial Estate, Plot No. 17, Navalakhi Highway,
Bagathara Road, At Khakharala, Morbi - [Guj] INDIA,**

e-mail: elastotextile7@gmail.com +91 96249 22222

Design by - Star Image +91 95869 22554